


Sheaves

ANSI

WITH QD BUSHING





Dimensions in inches, weight in pounds, weight less bush

| 1 Groove F = 7/8" thru 1B 64 SDS / F = 1" others | | | | | | | | | | |
|--|-------|---------|---------|------|------|------|------|---------|------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 1B 34 SH | 3.75 | 3.00 | 3.40 | D1 | SH | 9/16 | — | 1 5/16 | 1/8 | 1.2 |
| 1B 36 SH | 3.95 | 3.20 | 3.60 | D1 | SH | 9/16 | — | 1 5/16 | 1/8 | 1.3 |
| 1B 38 SH | 4.15 | 3.40 | 3.80 | D1 | SH | 9/16 | — | 1 5/16 | 1/8 | 1.6 |
| 1B 40 SH | 4.35 | 3.60 | 4.00 | C1 | SH | 1/4 | 5/16 | 1 5/16 | 3/16 | 1.8 |
| 1B 42 SH | 4.55 | 3.80 | 4.20 | C1 | SH | 1/4 | 5/16 | 1 5/16 | 3/16 | 2.0 |
| 1B 44 SH | 4.75 | 4.00 | 4.40 | C1 | SH | 1/4 | 5/16 | 1 5/16 | 3/16 | 2.2 |
| 1B 46 SDS | 4.95 | 4.20 | 4.60 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 2.4 |
| 1B 48 SDS | 5.15 | 4.40 | 4.80 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 2.6 |
| 1B 50 SDS | 5.35 | 4.60 | 5.00 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 3.0 |
| 1B 52 SDS | 5.55 | 4.80 | 5.20 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 3.4 |
| 1B 54 SDS | 5.75 | 5.00 | 5.40 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 3.8 |
| 1B 56 SDS | 5.95 | 5.20 | 5.60 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 4.0 |
| 1B 58 SDS | 6.15 | 5.40 | 5.80 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 4.4 |
| 1B 60 SDS | 6.35 | 5.60 | 6.00 | C1 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 4.6 |
| 1B 62 SDS | 6.55 | 5.80 | 6.20 | C2 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 4.8 |
| 1B 64 SDS | 6.75 | 6.00 | 6.40 | C2 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 5.0 |
| 1B 66 SDS | 6.95 | 6.20 | 6.60 | C2 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 5.4 |
| 1B 68 SDS | 7.15 | 6.40 | 6.80 | C2 | SDS | 5/16 | 5/16 | 1 3/8 | 3/16 | 5.6 |
| 1B 70 SDS | 7.35 | 6.60 | 7.00 | C2 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 6.0 |
| 1B 74 SDS | 7.75 | 7.00 | 7.40 | C2 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 6.3 |
| 1B 80 SDS | 8.35 | 7.60 | 8.00 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 6.6 |
| 1B 86 SDS | 8.95 | 8.20 | 8.60 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 7.0 |
| 1B 94 SDS | 9.75 | 9.00 | 9.40 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 8.0 |
| 1B 110 SDS | 11.35 | 10.60 | 11.00 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 10.0 |
| 1B 124 SDS | 12.75 | 12.00 | 12.40 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 12.0 |
| 1B 136 SDS | 13.95 | 13.20 | 13.60 | C3 | SDS | 1/2 | 1/8 | 1 3/8 | 1/8 | 14.0 |
| 1B 154 SK | 15.75 | 15.00 | 15.40 | C3 | SK | 9/16 | 1/8 | 1 15/16 | 3/8 | 17.0 |
| 1B 160 SK | 16.35 | 15.60 | 16.00 | C3 | SK | 9/16 | 1/8 | 1 15/16 | 3/8 | 18.0 |
| 1B 184 SK | 18.75 | 18.00 | 18.40 | C3 | SK | 9/16 | 1/8 | 1 15/16 | 3/8 | 20.0 |
| 1B 200 SK | 20.35 | 19.60 | 20.00 | C3 | SK | 9/16 | 1/8 | 1 15/16 | 3/8 | 23.0 |

Dimensions in inches, weight in pounds, weight less bush

| 2 Grooves F = 1 3/4" | | | | | | | | | | |
|-----------------------------|-------|---------|---------|------|------|------|-------|---------|-------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 2B 34 SH | 3.75 | 3.00 | 3.40 | E1 | SH | 1 | — | 1 5/16 | 9/16 | 1.0 |
| 2B 36 SH | 3.95 | 3.20 | 3.60 | D1 | SH | 3/8 | 3/16 | 1 5/16 | 13/16 | 1.4 |
| 2B 38 SH | 4.15 | 3.40 | 3.80 | D1 | SH | 3/8 | 3/16 | 1 5/16 | 13/16 | 1.8 |
| 2B 40 SH | 4.35 | 3.60 | 4.00 | A1 | SH | 1/8 | 11/16 | 1 5/16 | 5/16 | 2.0 |
| 2B 42 SH | 4.55 | 3.80 | 4.20 | A1 | SH | 1/8 | 11/16 | 1 5/16 | 5/16 | 2.5 |
| 2B 44 SH | 4.75 | 4.00 | 4.40 | A1 | SH | 1/8 | 11/16 | 1 5/16 | 5/16 | 2.8 |
| 2B 46 SDS | 4.95 | 4.20 | 4.60 | A1 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 4.8 |
| 2B 48 SDS | 5.15 | 4.40 | 4.80 | A1 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 5.0 |
| 2B 50 SDS | 5.35 | 4.60 | 5.00 | A1 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 5.4 |
| 2B 52 SDS | 5.55 | 4.80 | 5.20 | A1 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 5.6 |
| 2B 54 SDS | 5.75 | 5.00 | 5.40 | A1 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 5.8 |
| 2B 56 SDS | 5.95 | 5.20 | 5.60 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 6.0 |
| 2B 58 SDS | 6.15 | 5.40 | 5.80 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 7.0 |
| 2B 60 SDS | 6.35 | 5.60 | 6.00 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 7.5 |
| 2B 62 SDS | 6.55 | 5.80 | 6.20 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 7.8 |
| 2B 64 SDS | 6.75 | 6.00 | 6.40 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 8.0 |
| 2B 66 SDS | 6.95 | 6.20 | 6.60 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 9.0 |
| 2B 68 SDS | 7.15 | 6.40 | 6.80 | A2 | SDS | 1/16 | 11/16 | 1 3/8 | 5/16 | 9.5 |
| 2B 70 SK | 7.35 | 6.60 | 7.00 | D2 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 9.8 |
| 2B 74 SK | 7.75 | 7.00 | 7.40 | D2 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 11.0 |
| 2B 80 SK | 8.35 | 7.60 | 8.00 | D2 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 12.0 |
| 2B 86 SK | 8.95 | 8.20 | 8.60 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 13.0 |
| 2B 94 SK | 9.75 | 9.00 | 9.40 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 14.0 |
| 2B 110 SK | 11.35 | 10.60 | 11.00 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 15.0 |
| 2B 124 SK | 12.75 | 12.00 | 12.40 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 17.0 |
| 2B 136 SK | 13.95 | 13.20 | 13.60 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 19.0 |
| 2B 154 SK | 15.75 | 15.00 | 15.40 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 22.0 |
| 2B 160 SK | 16.35 | 15.60 | 16.00 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 25.0 |
| 2B 184 SK | 18.75 | 18.00 | 18.40 | D3 | SK | 1/4 | 7/16 | 1 15/16 | 1/16 | 30.0 |
| 2B 200 SF | 20.35 | 19.60 | 20.00 | D3 | SF | 5/16 | 3/8 | 2 1/16 | — | 39.0 |
| 2B 250 SF | 25.35 | 24.60 | 25.00 | D3 | SF | 5/16 | 3/8 | 2 1/16 | — | 61.0 |
| 2B 300 SF | 30.35 | 29.60 | 30.00 | D3 | SF | 5/16 | 3/8 | 2 1/16 | — | 64.0 |
| 2B 380 SF | 38.35 | 37.60 | 38.00 | D3 | SF | 5/16 | 3/8 | 2 1/16 | — | 86.0 |

Dimensions in inches, weight in pounds, weight less bush

| 3 Grooves F = 2 1/2" | | | | | | | | | | |
|-----------------------------|-------|---------|---------|------|------|-------|--------|---------|--------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 3B 34 SH | 3.75 | 3.00 | 3.40 | E1 | SH | 1 3/4 | — | 1 5/16 | 9/16 | 3.4 |
| 3B 36 SH | 3.95 | 3.20 | 3.60 | D1 | SH | 3/8 | 3/16 | 1 5/16 | 1 9/16 | 3.8 |
| 3B 38 SH | 4.15 | 3.40 | 3.80 | D1 | SH | 3/8 | 3/16 | 1 5/16 | 1 9/16 | 4.0 |
| 3B 40 SH | 4.35 | 3.60 | 4.00 | A1 | SH | 1/2 | 1 1/16 | 1 5/16 | 11/16 | 4.5 |
| 3B 42 SH | 4.55 | 3.80 | 4.20 | A1 | SH | 1/2 | 1 1/16 | 1 5/16 | 11/16 | 5.0 |
| 3B 44 SH | 4.75 | 4.00 | 4.40 | A1 | SH | 1/2 | 1 1/16 | 1 5/16 | 11/16 | 5.5 |
| 3B 46 SD | 4.95 | 4.20 | 4.60 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 6.0 |
| 3B 48 SD | 5.15 | 4.40 | 4.80 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 6.5 |
| 3B 50 SD | 5.35 | 4.60 | 5.00 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 7.0 |
| 3B 52 SD | 5.55 | 4.80 | 5.20 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 8.0 |
| 3B 54 SD | 5.75 | 5.00 | 5.40 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 8.5 |
| 3B 56 SD | 5.95 | 5.20 | 5.60 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 9.0 |
| 3B 58 SD | 6.15 | 5.40 | 5.80 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 10.0 |
| 3B 60 SD | 6.35 | 5.60 | 6.00 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 11.0 |
| 3B 62 SD | 6.55 | 5.80 | 6.20 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 12.0 |
| 3B 64 SD | 6.75 | 6.00 | 6.40 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 12.4 |
| 3B 66 SD | 6.95 | 6.20 | 6.60 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 12.6 |
| 3B 68 SD | 7.15 | 6.40 | 6.80 | A1 | SD | 7/16 | 1 1/16 | 1 13/16 | 1/4 | 13.0 |
| 3B 70 SK | 7.35 | 6.60 | 7.00 | A1 | SK | — | 11/16 | 1 15/16 | 9/16 | 14.0 |
| 3B 74 SK | 7.75 | 7.00 | 7.40 | A1 | SK | — | 11/16 | 1 15/16 | 9/16 | 15.0 |
| 3B 80 SK | 8.35 | 7.60 | 8.00 | A1 | SK | — | 11/16 | 1 15/16 | 9/16 | 16.0 |
| 3B 86 SK | 8.95 | 8.20 | 8.60 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 17.0 |
| 3B 94 SK | 9.75 | 9.00 | 9.40 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 18.0 |
| 3B 110 SK | 11.35 | 10.60 | 11.00 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 19.0 |
| 3B 124 SK | 12.75 | 12.00 | 12.40 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 22.0 |
| 3B 136 SK | 13.95 | 13.20 | 13.60 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 24.0 |
| 3B 154 SK | 15.75 | 15.00 | 15.40 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 28.0 |
| 3B 160 SK | 16.35 | 15.60 | 16.00 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 29.0 |
| 3B 184 SK | 18.75 | 18.00 | 18.40 | A3 | SK | — | 11/16 | 1 15/16 | 9/16 | 37.0 |
| 3B 200 SF | 20.35 | 19.60 | 20.00 | D3 | SF | 1/16 | 5/8 | 2 1/16 | 1/2 | 39.0 |
| 3B 250 SF | 25.35 | 24.60 | 25.00 | D3 | SF | 1/16 | 5/8 | 2 1/16 | 1/2 | 67.0 |
| 3B 300 SF | 30.35 | 29.60 | 30.00 | D3 | SF | 1/16 | 5/8 | 2 1/16 | 1/2 | 74.0 |
| 3B 380 E | 38.35 | 37.60 | 38.00 | D3 | E | 1/4 | 5/8 | 2 5/8 | 1/8 | 122.0 |

Dimensions in inches, weight in pounds, weight less bush

| 4 Grooves F = 3 1/4" | | | | | | | | | | |
|----------------------|-------|---------|---------|------|------|--------|--------|---------|-------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 4B 34 SD | 3.75 | 3.00 | 3.40 | E1 | SD | 2 3/8 | 5/16 | 1 13/16 | 15/16 | 4.0 |
| 4B 36 SD | 3.95 | 3.20 | 3.60 | E1 | SD | 2 3/8 | 5/16 | 1 13/16 | 15/16 | 5.0 |
| 4B 38 SD | 4.15 | 3.40 | 3.80 | E1 | SD | 2 3/8 | 5/16 | 1 13/16 | 15/16 | 5.0 |
| 4B 40 SD | 4.35 | 3.60 | 4.00 | E1 | SD | 2 1/16 | — | 1 13/16 | 5/8 | 6.0 |
| 4B 42 SD | 4.55 | 3.80 | 4.20 | E1 | SD | 2 1/16 | — | 1 13/16 | 5/8 | 7.0 |
| 4B 44 SD | 4.75 | 4.00 | 4.40 | E1 | SD | 2 1/16 | 1 5/16 | 1 13/16 | 5/8 | 7.0 |
| 4B 46 SD | 4.95 | 4.20 | 4.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 7.0 |
| 4B 48 SD | 5.15 | 4.40 | 4.80 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 8.0 |
| 4B 50 SD | 5.35 | 4.60 | 5.00 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 9.0 |
| 4B 52 SD | 5.55 | 4.80 | 5.20 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 10.0 |
| 4B 54 SD | 5.75 | 5.00 | 5.40 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 10.5 |
| 4B 56 SD | 5.95 | 5.20 | 5.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 11.0 |
| 4B 58 SD | 6.15 | 5.40 | 5.80 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 12.0 |
| 4B 60 SD | 6.35 | 5.60 | 6.00 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 12.5 |
| 4B 62 SD | 6.55 | 5.80 | 6.20 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 3/4 | 13.0 |
| 4B 64 SD | 6.75 | 6.00 | 6.40 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 | 14.0 |
| 4B 66 SD | 6.95 | 6.20 | 6.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 | 14.5 |
| 4B 68 SD | 7.15 | 6.40 | 6.80 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 | 15.0 |
| 4B 70 SK | 7.35 | 6.60 | 7.00 | A1 | SK | 5/16 | 1 | 1 15/16 | 1 | 15.5 |
| 4B 74 SK | 7.75 | 7.00 | 7.40 | A1 | SK | 5/16 | 1 | 1 15/16 | 1 | 16.0 |
| 4B 80 SK | 8.35 | 7.60 | 8.00 | A1 | SK | 5/16 | 1 | 1 15/16 | 1 | 17.0 |
| 4B 86 SK | 8.95 | 8.20 | 8.60 | A3 | SK | 5/16 | 1 | 1 15/16 | 1 | 18.0 |
| 4B 94 SK | 9.75 | 9.00 | 9.40 | A3 | SK | 5/16 | 1 | 1 15/16 | 1 | 19.0 |
| 4B 110 SK | 11.35 | 10.60 | 11.00 | A3 | SK | 5/16 | 1 | 1 15/16 | 1 | 24.0 |
| 4B 124 SK | 12.75 | 12.00 | 12.40 | A3 | SK | 5/16 | 1 | 1 15/16 | 1 | 26.0 |
| 4B 136 SK | 13.95 | 13.20 | 13.60 | A3 | SK | 5/16 | 1 | 1 15/16 | 1 | 28.0 |
| 4B 154 SF | 15.75 | 15.00 | 15.40 | A3 | SF | 5/16 | 1 | 2 1/16 | 7/8 | 41.0 |
| 4B 160 SF | 16.35 | 15.60 | 16.00 | A3 | SF | 5/16 | 1 | 2 1/16 | 7/8 | 42.0 |
| 4B 184 SF | 18.75 | 18.00 | 18.40 | A3 | SF | 5/16 | 1 | 2 1/16 | 7/8 | 48.0 |
| 4B 200 SF | 20.35 | 19.60 | 20.00 | A3 | SF | 5/16 | 1 | 2 1/16 | 7/8 | 58.0 |
| 4B 250 E | 25.35 | 24.60 | 25.00 | A3 | E | 1/8 | 1 | 2 5/8 | 1/2 | 78.0 |
| 4B 300 E | 30.35 | 29.60 | 30.00 | A3 | E | 1/8 | 1 | 2 5/8 | 1/2 | 93.0 |
| 4B 380 E | 38.35 | 37.60 | 38.00 | A3 | E | 1/8 | 1 | 2 5/8 | 1/2 | 138.0 |

Dimensions in inches, weight in pounds, weight less bush

| 5 Grooves F = 4" | | | | | | | | | | |
|------------------|-------|---------|---------|------|------|---------|--------|---------|--------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 5B 34 SD | 3.75 | 3.00 | 3.40 | E1 | SD | 3 1/4 | 7/16 | 1 13/16 | 1 1/16 | 5.0 |
| 5B 36 SD | 3.95 | 3.20 | 3.60 | E1 | SD | 3 1/4 | 7/16 | 1 13/16 | 1 1/16 | 6.0 |
| 5B 38 SD | 4.15 | 3.40 | 3.80 | E1 | SD | 3 1/4 | 5/16 | 1 13/16 | 15/16 | 6.5 |
| 5B 40 SD | 4.35 | 3.60 | 4.00 | E1 | SD | 2 13/16 | — | 1 13/16 | 5/8 | 7.0 |
| 5B 42 SD | 4.55 | 3.80 | 4.20 | E1 | SD | 2 13/16 | — | 1 13/16 | 5/8 | 7.5 |
| 5B 44 SD | 4.75 | 4.00 | 4.40 | E1 | SD | 2 13/16 | — | 1 13/16 | 5/8 | 8.0 |
| 5B 46 SD | 4.95 | 4.20 | 4.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 1/2 | 9.0 |
| 5B 48 SD | 5.15 | 4.40 | 4.80 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 1/2 | 9.5 |
| 5B 50 SD | 5.35 | 4.60 | 5.00 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 1/2 | 10.0 |
| 5B 52 SD | 5.55 | 4.80 | 5.20 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 1/2 | 10.5 |
| 5B 54 SK | 5.75 | 5.00 | 5.40 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 11.0 |
| 5B 56 SK | 5.95 | 5.20 | 5.60 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 11.5 |
| 5B 58 SK | 6.15 | 5.40 | 5.80 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 12.0 |
| 5B 60 SK | 6.35 | 5.60 | 6.00 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 13.0 |
| 5B 62 SK | 6.55 | 5.80 | 6.20 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 14.0 |
| 5B 64 SK | 6.75 | 6.00 | 6.40 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 15.0 |
| 5B 66 SK | 6.95 | 6.20 | 6.60 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 16.0 |
| 5B 68 SK | 7.15 | 6.40 | 6.80 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 1 7/16 | 17.0 |
| 5B 70 SF | 7.35 | 6.60 | 7.00 | A1 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 18.0 |
| 5B 74 SF | 7.75 | 7.00 | 7.40 | A1 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 20.0 |
| 5B 80 SF | 8.35 | 7.60 | 8.00 | A1 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 23.0 |
| 5B 86 SF | 8.95 | 8.20 | 8.60 | A2 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 24.0 |
| 5B 94 SF | 9.75 | 9.00 | 9.40 | A2 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 26.0 |
| 5B 110 SF | 11.35 | 10.60 | 11.00 | A2 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 32.0 |
| 5B 124 SF | 12.75 | 12.00 | 12.40 | A3 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 35.0 |
| 5B 136 SF | 13.95 | 13.20 | 13.60 | A3 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 36.0 |
| 5B 154 SF | 15.75 | 15.00 | 15.40 | A3 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 46.0 |
| 5B 160 SF | 16.35 | 15.60 | 16.00 | A3 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 48.0 |
| 5B 184 SF | 18.75 | 18.00 | 18.40 | A3 | SF | 5/8 | 1 5/16 | 2 1/16 | 1 5/16 | 50.0 |
| 5B 200 E | 20.35 | 19.60 | 20.00 | A3 | E | 3/8 | 1 1/4 | 2 5/8 | 1 | 72.0 |
| 5B 250 E | 25.35 | 24.60 | 25.00 | A3 | E | 3/8 | 1 1/4 | 2 5/8 | 1 | 90.0 |
| 5B 300 E | 30.35 | 29.60 | 30.00 | A3 | E | 3/8 | 1 1/4 | 2 5/8 | 1 | 108.0 |
| 5B 380 E | 38.35 | 37.60 | 38.00 | A3 | E | 3/8 | 1 1/4 | 2 5/8 | 1 | 145.0 |

Dimensions in inches, weight in pounds, weight less bush


| 6 Grooves F = 4 3/4" | | | | | | | | | | |
|-----------------------------|-------|---------|---------|------|------|--------|---------|---------|---------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 6B 34 SD | 3.75 | 3.00 | 3.40 | E1 | SD | 3 7/8 | 5/16 | 1 13/16 | 15/16 | 6.0 |
| 6B 36 SD | 3.95 | 3.20 | 3.60 | E1 | SD | 3 7/8 | 5/16 | 1 13/16 | 15/16 | 7.0 |
| 6B 38 SD | 4.15 | 3.40 | 3.80 | E1 | SD | 3 7/8 | 5/16 | 1 13/16 | 13/16 | 7.5 |
| 6B 40 SD | 4.35 | 3.60 | 4.00 | E1 | SD | 3 9/16 | — | 1 13/16 | 5/8 | 8.0 |
| 6B 42 SD | 4.55 | 3.80 | 4.20 | E1 | SD | 3 9/16 | — | 1 13/16 | 5/8 | 9.0 |
| 6B 44 SD | 4.75 | 4.00 | 4.40 | E1 | SD | 3 9/16 | — | 1 13/16 | 5/8 | 9.5 |
| 6B 46 SD | 4.95 | 4.20 | 4.60 | A1 | SD | 3 9/16 | 1 3/16 | 1 13/16 | 2 3/8 | 10.0 |
| 6B 48 SD | 5.15 | 4.40 | 4.80 | A1 | SD | 2 1/4 | 1 3/16 | 1 13/16 | 2 3/8 | 10.5 |
| 6B 50 SD | 5.35 | 4.60 | 5.00 | A1 | SD | 2 1/4 | 1 3/16 | 1 13/16 | 2 3/8 | 11.0 |
| 6B 52 SD | 5.55 | 4.80 | 5.20 | A1 | SD | 2 1/4 | 1 3/16 | 1 13/16 | 2 3/8 | 11.5 |
| 6B 54 SK | 5.75 | 5.00 | 5.40 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 12.0 |
| 6B 56 SK | 5.95 | 5.20 | 5.60 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 13.0 |
| 6B 58 SK | 6.15 | 5.40 | 5.80 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 14.0 |
| 6B 60 SK | 6.35 | 5.60 | 6.00 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 15.0 |
| 6B 62 SK | 6.55 | 5.80 | 6.20 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 16.0 |
| 6B 64 SK | 6.75 | 6.00 | 6.40 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 17.0 |
| 6B 66 SK | 6.95 | 6.20 | 6.60 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 18.0 |
| 6B 68 SK | 7.15 | 6.40 | 6.80 | A1 | SK | 5/8 | 1 5/16 | 1 15/16 | 2 3/16 | 19.0 |
| 6B 70 SF | 7.35 | 6.60 | 7.00 | A1 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 19.5 |
| 6B 74 SF | 7.75 | 7.00 | 7.40 | A1 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 22.0 |
| 6B 80 SF | 8.35 | 7.60 | 8.00 | A1 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 25.0 |
| 6B 86 SF | 8.95 | 8.20 | 8.60 | A2 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 28.0 |
| 6B 94 SF | 9.75 | 9.00 | 9.40 | A2 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 29.0 |
| 6B 110 SF | 11.35 | 10.60 | 11.00 | A2 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 30.0 |
| 6B 124 SF | 12.75 | 12.00 | 12.40 | A3 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 40.0 |
| 6B 136 SF | 13.95 | 13.20 | 13.60 | A3 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 45.0 |
| 6B 154 SF | 15.75 | 15.00 | 15.40 | A3 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 46.0 |
| 6B 160 SF | 16.35 | 15.60 | 16.00 | A3 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 50.0 |
| 6B 184 SF | 18.75 | 18.00 | 18.40 | A3 | SF | 1 | 1 11/16 | 2 1/16 | 1 11/16 | 60.0 |
| 6B 200 E | 20.35 | 19.60 | 20.00 | A3 | E | 1/2 | 1 3/8 | 2 5/8 | 1 5/8 | 78.0 |
| 6B 250 E | 25.35 | 24.60 | 25.00 | A3 | E | 1/2 | 1 3/8 | 2 5/8 | 1 5/8 | 98.0 |
| 6B 300 E | 30.35 | 29.60 | 30.00 | A3 | E | 1/2 | 1 3/8 | 2 5/8 | 1 5/8 | 109.0 |
| 6B 380 E | 38.35 | 37.60 | 38.00 | A3 | E | 1/2 | 1 3/8 | 2 5/8 | 1 5/8 | 173.0 |

Dimensions in inches, weight in pounds, weight less bush

| 8 Grooves F = 6 1/4" | | | | | | | | | | |
|-----------------------------|-------|---------|---------|------|------|-------|---------|--------|--------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 8B 54 SK | 5.75 | 5.00 | 5.40 | A1 | SK | 1 1/8 | 1 13/16 | 1 5/16 | 3 3/16 | 14.0 |
| 8B 56 SK | 5.95 | 5.20 | 5.60 | A1 | SK | 1 1/8 | 1 13/16 | 1 5/16 | 3 3/16 | 16.0 |
| 8B 58 SK | 6.15 | 5.40 | 5.80 | A1 | SK | 1 1/8 | 1 13/16 | 1 5/16 | 3 3/16 | 16.5 |
| 8B 60 SF | 6.35 | 5.60 | 6.00 | A1 | SK | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 17.0 |
| 8B 62 SF | 6.55 | 5.80 | 6.20 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 18.0 |
| 8B 64 SF | 6.75 | 6.00 | 6.40 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 18.5 |
| 8B 66 SF | 6.95 | 6.20 | 6.60 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 21.0 |
| 8B 68 SF | 7.15 | 6.40 | 6.80 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 22.0 |
| 8B 70 SF | 7.35 | 6.60 | 7.00 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 22.5 |
| 8B74 SF | 7.75 | 7.00 | 7.40 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 25.0 |
| 8B 80 SF | 8.35 | 7.60 | 8.00 | A1 | SF | 1 1/8 | 1 13/16 | 2 1/16 | 3 3/16 | 29.0 |
| 8B 86 E | 8.95 | 8.20 | 8.60 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 34.0 |
| 8B 94 E | 9.75 | 9.00 | 9.40 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 40.0 |
| 8B 110 E | 11.35 | 10.60 | 11.00 | A2 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 47.0 |
| 8B 124 E | 12.75 | 12.00 | 12.40 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 52.0 |
| 8B 136 E | 13.95 | 13.20 | 13.60 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 60.0 |
| 8B 154 E | 15.75 | 15.00 | 15.40 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 82.0 |
| 8B160 E | 16.35 | 15.60 | 16.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/8 | 90.0 |
| 8B 184 E | 18.75 | 18.00 | 18.40 | A3 | E | 5/16 | 1 5/16 | 3 5/8 | 2 5/16 | 110.0 |
| 8B 200 F | 20.35 | 19.60 | 20.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 2 5/16 | 122.0 |
| 8B 250 F | 25.35 | 24.60 | 25.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 2 5/16 | 138.0 |
| 8B 300 F | 30.35 | 29.60 | 30.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 2 5/16 | 168.0 |
| 8B 380 F | 38.35 | 37.60 | 38.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 2 5/16 | 222.0 |

Dimensions in inches, weight in pounds, weight less bush

| 10 Grooves F = 7 3/4" | | | | | | | | | | |
|------------------------------|-------|---------|---------|------|------|--------|--------|---------|---------|--------|
| Part. Number | OD | PD | | Type | Bush | E | K | L | M | Weight |
| | | A belts | B belts | | | | | | | |
| 10B 54 SK | 5.75 | 5.00 | 5.40 | A1 | SK | 1 7/8 | 2 9/16 | 1 15/16 | 3 15/16 | 15.0 |
| 10B 56 SK | 5.95 | 5.20 | 5.60 | A1 | SK | 1 7/8 | 2 9/16 | 1 15/16 | 3 15/16 | 18.0 |
| 10B 58 SK | 6.15 | 5.40 | 5.80 | A1 | SK | 1 7/8 | 2 9/16 | 1 15/16 | 3 15/16 | 20.0 |
| 10B 60 SF | 6.35 | 5.60 | 6.00 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 22.0 |
| 10B 62 SF | 6.55 | 5.80 | 6.20 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 24.0 |
| 10B 64 SF | 6.75 | 6.00 | 6.40 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 25.0 |
| 10B 66 SF | 6.95 | 6.20 | 6.60 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 26.0 |
| 10B 68 SF | 7.15 | 6.40 | 6.80 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 27.0 |
| 10B 70 SF | 7.35 | 6.60 | 7.00 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 28.0 |
| 10B 74 SF | 7.75 | 7.00 | 7.40 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 31.0 |
| 10B 80 SF | 8.35 | 7.60 | 8.00 | A1 | SF | 1 7/8 | 2 9/16 | 2 1/16 | 3 13/16 | 35.0 |
| 10B 86 E | 8.95 | 8.20 | 8.60 | A1 | E | 2 1/4 | 3 1/8 | 2 5/8 | 2 7/8 | 38.0 |
| 10B 94 E | 9.75 | 9.00 | 9.40 | A1 | E | 2 1/4 | 3 1/8 | 2 5/8 | 2 7/8 | 45.0 |
| 10B 110 E | 11.35 | 10.60 | 11.00 | A2 | E | 2 1/4 | 3 1/8 | 2 5/8 | 2 7/8 | 59.0 |
| 10B 124 E | 12.75 | 12.00 | 12.40 | A3 | E | 2 1/4 | 3 1/8 | 2 5/8 | 2 7/8 | 63.0 |
| 10B 136 F | 13.95 | 13.20 | 13.60 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 78.0 |
| 10B 154 F | 15.75 | 15.00 | 15.40 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 90.0 |
| 10B 160 F | 16.35 | 15.60 | 16.00 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 96.0 |
| 10B 184 F | 18.75 | 18.00 | 18.40 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 113.0 |
| 10B 200 F | 20.35 | 19.60 | 20.00 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 124.0 |
| 10B 250 F | 25.35 | 24.60 | 25.00 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 138.0 |
| 10B 300 F | 30.35 | 29.60 | 30.00 | A3 | F | 1 1/16 | 2 1/16 | 3 5/8 | 3 1/16 | 200.0 |
| 10B 380 J | 38.35 | 37.60 | 38.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 2 7/8 | 279.0 |



Dimensions in inches, weight in pounds, weight less bush

| 1 Groove F = 1 3/8" | | | | | | | | | |
|---------------------|-------|-------|------|------|------|-----|---------|-----|--------|
| Part Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 1C 60 SK | 6.40 | 6.00 | C1 | SK | 9/16 | 1/8 | 1 15/16 | — | 9.4 |
| 1C 70 SF | 7.40 | 7.00 | C1 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 9.8 |
| 1C 75 SF | 7.90 | 7.50 | C1 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 11.0 |
| 1C 80 SF | 8.40 | 8.00 | C1 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 13.0 |
| 1C 85 SF | 8.90 | 8.50 | C1 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 13.2 |
| 1C 90 SF | 9.40 | 9.00 | C2 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 13.5 |
| 1C 95 SF | 9.90 | 9.50 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 13.8 |
| 1C 100 SF | 10.40 | 10.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 14.0 |
| 1C 105 SF | 10.90 | 10.50 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 15.0 |
| 1C 110 SF | 11.40 | 11.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 15.8 |
| 1C 120 SF | 12.40 | 12.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 17.0 |
| 1C 130 SF | 13.40 | 13.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 18.0 |
| 1C 140 SF | 14.40 | 14.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 20.0 |
| 1C 150 SF | 15.40 | 15.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 21.0 |
| 1C 160 SF | 16.40 | 16.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 24.0 |
| 1C 180 SF | 18.40 | 18.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 27.0 |
| 1C 200 SF | 20.40 | 20.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 31.0 |
| 1C 240 SF | 24.40 | 24.00 | C3 | SF | 9/16 | 1/8 | 2 1/16 | 1/8 | 37.0 |

Dimensions in inches, weight in pounds, weight less bush

| 2 Grooves F = 2 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|-------|-------|---------|------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 2C 60 SK | 6.40 | 6.00 | A1 | SK | 3/16 | 7/8 | 1 15/16 | 1/8 | 8.0 |
| 2C 70 SF | 7.40 | 7.00 | A1 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 12.0 |
| 2C 75 SF | 7.90 | 7.50 | A1 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 15.0 |
| 2C 80 SF | 8.40 | 8.00 | A1 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 16.0 |
| 2C 85 SF | 8.90 | 8.50 | A2 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 19.0 |
| 2C 90 SF | 9.40 | 9.00 | A2 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 19.5 |
| 2C 95 SF | 9.90 | 9.50 | A2 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 21.0 |
| 2C 100 SF | 10.40 | 10.00 | A2 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 22.0 |
| 2C 105 SF | 10.90 | 10.50 | A2 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 25.0 |
| 2C 110 SF | 11.40 | 11.00 | A3 | SF | 1/8 | 13/16 | 2 1/16 | 3/16 | 26.0 |
| 2C 120 SF | 12.40 | 12.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 29.0 |
| 2C 130 SF | 13.40 | 13.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 31.0 |
| 2C 140 SF | 14.40 | 14.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 35.0 |
| 2C 150 SF | 15.40 | 15.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 39.0 |
| 2C 160 SF | 16.40 | 16.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 43.0 |
| 2C 180 SF | 18.40 | 18.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 48.0 |
| 2C 200 SF | 20.40 | 20.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 55.0 |
| 2C 240 SF | 24.40 | 24.00 | D3 | SF | 1/8 | 9/16 | 2 1/16 | 7/16 | 65.0 |
| 2C 270 F | 27.40 | 27.00 | C3 | F | 11/16 | 5/16 | 3 5/8 | 9/16 | 107.0 |
| 2C 300 F | 30.40 | 30.00 | C3 | F | 11/16 | 5/16 | 3 5/8 | 9/16 | 115.0 |

Dimensions in inches, weight in pounds, weight less bush

| 3 Grooves F = 3 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|-------|--------|---------|-------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 3C 50 SD | 5.40 | 5.00 | A1 | SD | 5/8 | 1 1/4 | 1 13/16 | 15/16 | 8.0 |
| 3C 54 SD | 5.80 | 5.40 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 7/8 | 9.0 |
| 3C 55 SD | 5.90 | 5.50 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 7/8 | 10.0 |
| 3C 56 SD | 6.00 | 5.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 7/8 | 11.0 |
| 3C 60 SK | 6.40 | 6.00 | A1 | SK | 3/16 | 7/8 | 1 15/16 | 1 1/8 | 12.0 |
| 3C 70 SF | 7.40 | 7.00 | A1 | SF | 5/8 | 1 5/16 | 2 1/16 | 11/16 | 14.0 |
| 3C 75 SF | 7.90 | 7.50 | A1 | SF | 5/8 | 1 5/16 | 2 1/16 | 11/16 | 17.0 |
| 3C 80 E | 8.40 | 8.00 | B1 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 19.0 |
| 3C 85 E | 8.90 | 8.50 | B1 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 22.0 |
| 3C 90 E | 9.40 | 9.00 | B1 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 26.0 |
| 3C 95 E | 9.90 | 9.50 | B1 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 29.0 |
| 3C 100 E | 10.40 | 10.00 | B2 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 31.0 |
| 3C 105 E | 10.90 | 10.50 | B2 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 35.0 |
| 3C 110 E | 11.40 | 11.00 | B2 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 38.0 |
| 3C 120E | 12.40 | 12.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 40.0 |
| 3C 130 E | 13.40 | 13.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 43.0 |
| 3C 140E | 14.40 | 14.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 46.0 |
| 3C 150 E | 15.40 | 15.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 52.0 |
| 3C 160 E | 16.40 | 16.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 58.0 |
| 3C 180 E | 18.40 | 18.00 | B3 | E | 7/8 | 1 3/4 | 2 5/8 | 1/8 | 67.0 |
| 3C 200 E | 20.40 | 20.00 | A3 | E | 7/8 | 1 | 2 5/8 | 5/8 | 70.0 |
| 3C 240 E | 24.40 | 24.00 | A3 | E | 7/8 | 1 | 2 5/8 | 5/8 | 90.0 |
| 3C 270 F | 27.40 | 27.00 | C3 | F | 3/16 | 13/16 | 3 5/8 | 1/16 | 124.0 |
| 3C 300 F | 30.40 | 30.00 | C3 | F | 3/16 | 13/16 | 3 5/8 | 1/16 | 130.0 |
| 3C 360 F | 36.40 | 36.00 | C3 | F | 3/16 | 13/16 | 3 5/8 | 1/16 | 166.0 |
| 3C 440 F | 44.40 | 44.00 | C3 | F | 3/16 | 13/16 | 3 5/8 | 1/16 | 208.0 |
| 3C 500 F | 50.40 | 50.00 | C3 | F | 3/16 | 13/16 | 3 5/8 | 1/16 | 250.0 |

Dimensions in inches, weight in pounds, weight less bush

| 4 Grooves F = 4 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|-------|--------|---------|---------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 4C 50 SD | 5.40 | 5.00 | A1 | SD | 5/8 | 1 1/4 | 1 13/16 | 1 15/16 | 10.0 |
| 4C 54 SD | 5.80 | 5.40 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 7/8 | 12.0 |
| 4C 55 SD | 5.90 | 5.50 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 7/8 | 12.4 |
| 4C 56 SD | 6.00 | 5.60 | A1 | SD | 11/16 | 1 5/16 | 1 13/16 | 1 7/8 | 12.6 |
| 4C 60 SK | 6.40 | 6.00 | A1 | SK | 3/16 | 7/8 | 1 15/16 | 2 1/8 | 12.8 |
| 4C 70 SF | 7.40 | 7.00 | A2 | SF | 7/8 | 1 9/16 | 2 1/16 | 1 7/16 | 13.0 |
| 4C 75 SF | 7.90 | 7.50 | A2 | SF | 7/8 | 1 9/16 | 2 1/16 | 1 7/16 | 19.0 |
| 4C 80 E | 8.40 | 8.00 | A1 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 24.0 |
| 4C 85 E | 8.90 | 8.50 | A1 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 27.0 |
| 4C 90 E | 9.40 | 9.00 | A1 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 30.0 |
| 4C 95 E | 9.90 | 9.50 | A1 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 33.0 |
| 4C 100 E | 10.40 | 10.00 | A2 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 35.0 |
| 4C 105 E | 10.90 | 10.50 | A2 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 40.0 |
| 4C 110 E | 11.40 | 11.00 | A2 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 45.0 |
| 4C 120E | 12.40 | 12.00 | A2 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 48.0 |
| 4C 130 E | 13.40 | 13.00 | A3 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 49.0 |
| 4C 140E | 14.40 | 14.00 | A3 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 56.0 |
| 4C 150 E | 15.40 | 15.00 | A3 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 62.0 |
| 4C 160 E | 16.40 | 16.00 | A3 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 68.0 |
| 4C 180 E | 18.40 | 18.00 | A3 | E | 1 1/8 | 2 | 2 5/8 | 5/8 | 74.0 |
| 4C 200 E | 20.40 | 20.00 | A3 | E | 5/8 | 1 1/2 | 2 5/8 | 1 1/8 | 81.0 |
| 4C 240 F | 24.40 | 24.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 7/16 | 120.0 |
| 4C 270 F | 27.40 | 27.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 7/16 | 138.0 |
| 4C 300 F | 30.40 | 30.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 7/16 | 166.0 |
| 4C 360 F | 36.40 | 36.00 | A3 | F | 5/16 | 1 5/16 | 3 5/8 | 7/16 | 176.0 |
| 4C 440 J | 44.40 | 44.00 | B3 | J | 3/8 | 1 9/16 | 4 1/2 | 1/2 | 254.0 |
| 4C 500 J | 50.40 | 50.00 | B3 | J | 3/8 | 1 9/16 | 4 1/2 | 1/2 | 318.0 |

Dimensions in inches, weight in pounds, weight less bush

| 5 Grooves F = 5 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|-------|---------|---------|--------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 5C 60 SK | 6.40 | 6.00 | A1 | SK | 3/16 | 7/8 | 1 15/16 | 3 1/8 | 14.0 |
| 5C 70 SF | 7.40 | 7.00 | A1 | SF | 1 1/4 | 1 15/16 | 2 1/16 | 2 1/16 | 19.0 |
| 5C 75 SF | 7.90 | 7.50 | A1 | SF | 1 1/4 | 1 15/16 | 2 1/16 | 2 1/16 | 22.0 |
| 5C 80 E | 8.40 | 8.00 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 28.0 |
| 5C 85 E | 8.90 | 8.50 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 31.0 |
| 5C 90 E | 9.40 | 9.00 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 32.0 |
| 5C 95 E | 9.90 | 9.50 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 36.0 |
| 5C 100 E | 10.40 | 10.00 | A2 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 38.0 |
| 5C 105 E | 10.90 | 10.50 | A2 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 43.0 |
| 5C 110 E | 11.40 | 11.00 | A2 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 50.0 |
| 5C 120 E | 12.40 | 12.00 | A2 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 55.0 |
| 5C 130 E | 13.40 | 13.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 58.0 |
| 5C 140 E | 14.40 | 14.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 61.0 |
| 5C 150 E | 15.40 | 15.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 69.0 |
| 5C 160 E | 16.40 | 16.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 75.0 |
| 5C 180 E | 18.40 | 18.00 | A3 | E | 1 1/2 | 2 3/8 | 2 5/8 | 1 1/4 | 85.0 |
| 5C 200 F | 20.40 | 20.00 | A3 | F | 15/16 | 1 5/16 | 3 5/8 | 1 7/16 | 108.0 |
| 5C 240 F | 24.40 | 24.00 | A3 | F | 15/16 | 1 5/16 | 3 5/8 | 1 7/16 | 124.0 |
| 5C 270 F | 27.40 | 27.00 | A3 | F | 15/16 | 1 5/16 | 3 5/8 | 1 7/16 | 154.0 |
| 5C 300 F | 30.40 | 30.00 | A3 | F | 15/16 | 1 5/16 | 3 5/8 | 1 7/16 | 174.0 |
| 5C 360 J | 36.40 | 36.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1/2 | 226.0 |
| 5C 440 J | 44.40 | 44.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1/2 | 289.0 |
| 5C 500 J | 50.40 | 50.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1/2 | 316.0 |

Dimensions in inches, weight in pounds, weight less bush

| 6 Grooves F = 6 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|--------|---------|---------|---------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 6C 60 SK | 6.40 | 6.00 | A1 | SK | 3/16 | 7/8 | 1 15/16 | 4 1/8 | 16.0 |
| 6C 70 SF | 7.40 | 7.00 | A1 | SF | 1 1/4 | 1 15/16 | 2 1/16 | 3 1/16 | 22.0 |
| 6C 75 SF | 7.90 | 7.50 | A1 | SF | 1 1/4 | 1 15/16 | 2 1/16 | 3 1/16 | 25.0 |
| 6C 80 E | 8.40 | 8.00 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/4 | 31.0 |
| 6C 85 E | 8.90 | 8.50 | A1 | E | 1 1/2 | 2 3/8 | 2 5/8 | 2 1/4 | 35.0 |
| 6C 90 F | 9.40 | 9.00 | A1 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 40.0 |
| 6C 95 F | 9.90 | 9.50 | A1 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 44.0 |
| 6C 100 F | 10.40 | 10.00 | A1 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 50.0 |
| 6C 105 F | 10.90 | 10.50 | A1 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 56.0 |
| 6C 110 F | 11.40 | 11.00 | A1 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 60.0 |
| 6C 120 F | 12.40 | 12.00 | A3 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 65.0 |
| 6C 130 F | 13.40 | 13.00 | A3 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 67.0 |
| 6C 140 F | 14.40 | 14.00 | A3 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 75.0 |
| 6C 150 F | 15.40 | 15.00 | A3 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 91.0 |
| 6C 160 F | 16.40 | 16.00 | A3 | F | 1 7/16 | 2 7/16 | 3 5/8 | 1 5/16 | 98.0 |
| 6C 180 F | 18.40 | 18.00 | A3 | F | 15/16 | 2 7/16 | 3 5/8 | 1 5/16 | 106.0 |
| 6C 200 F | 20.40 | 20.00 | A3 | F | 15/16 | 1 15/16 | 4 1/2 | 1 13/16 | 125.0 |
| 6C 240 F | 24.40 | 24.00 | A3 | F | 3/8 | 1 15/16 | 4 1/2 | 1 13/16 | 165.0 |
| 6C 270 J | 27.40 | 27.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1 1/2 | 190.0 |
| 6C 300 J | 30.40 | 30.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1 1/2 | 229.0 |
| 6C 360 J | 36.40 | 36.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1 1/2 | 270.0 |
| 6C 440 J | 44.40 | 44.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 1 1/2 | 301.0 |
| 6C 500 M | 50.40 | 50.00 | B3 | M | 1/2 | 1 15/16 | 6 3/4 | 7/8 | 444.0 |

Dimensions in inches, weight in pounds, weight less bush

| 8 Grooves F = 8 3/8" | | | | | | | | | |
|-----------------------------|-------|-------|------|------|--------|---------|--------|--------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 8C 70 SF | 7.40 | 7.00 | A1 | SF | 2 5/16 | 3 | 2 1/16 | 4 | 35.0 |
| 8C 75 SF | 7.90 | 7.50 | A1 | SF | 2 5/16 | 3 | 2 1/16 | 4 | 37.0 |
| 8C 80 E | 8.40 | 8.00 | A1 | E | 2 3/8 | 3 1/4 | 2 5/8 | 3 3/8 | 41.0 |
| 8C 85 E | 8.90 | 8.50 | A1 | E | 2 3/8 | 3 1/4 | 2 5/8 | 3 3/8 | 50.0 |
| 8C 90 F | 9.40 | 9.00 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 56.0 |
| 8C 95 F | 9.90 | 9.50 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 60.0 |
| 8C 100 F | 10.40 | 10.00 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 64.0 |
| 8C 105 F | 10.90 | 10.50 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 74.0 |
| 8C 110 F | 11.40 | 11.00 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 87.0 |
| 8C 120 F | 12.40 | 12.00 | A1 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 94.0 |
| 8C 130 F | 13.40 | 13.00 | A3 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 99.0 |
| 8C 140 F | 14.40 | 14.00 | A3 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 110.0 |
| 8C 150 F | 15.40 | 15.00 | A3 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 122.0 |
| 8C 160 F | 16.40 | 16.00 | A3 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 136.0 |
| 8C 180 F | 18.40 | 18.00 | A3 | F | 2 5/16 | 3 5/16 | 3 5/8 | 2 7/16 | 146.0 |
| 8C 200 J | 20.40 | 20.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 3 1/2 | 195.0 |
| 8C 240 J | 24.40 | 24.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 3 1/2 | 216.0 |
| 8C 270 J | 27.40 | 27.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 3 1/2 | 268.0 |
| 8C 300 J | 30.40 | 30.00 | A3 | J | 3/8 | 1 9/16 | 4 1/2 | 3 1/2 | 338.0 |
| 8C 360 M | 36.40 | 36.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 1 1/8 | 413.0 |
| 8C 440 M | 44.40 | 44.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 1 1/8 | 474.0 |
| 8C 500 M | 50.40 | 50.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 1 1/8 | 503.0 |

Dimensions in inches, weight in pounds, weight less bush

| 10 Grooves F = 10 3/8" | | | | | | | | | |
|-------------------------------|-------|-------|------|------|-------|---------|-------|-------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 10C 80 E | 8.40 | 8.00 | A1 | E | 2 3/8 | 3 1/4 | 2 5/8 | 5 3/8 | 42.0 |
| 10C 85 E | 8.90 | 8.50 | A1 | E | 2 3/8 | 3 1/4 | 2 5/8 | 5 3/8 | 48.0 |
| 10C 90 F | 9.40 | 9.00 | A1 | F | 2 3/8 | 3 9/16 | 3 5/8 | 4 3/8 | 54.0 |
| 10C 95 J | 9.90 | 9.50 | A1 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 60.0 |
| 10C 100 J | 10.40 | 10.00 | A1 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 68.0 |
| 10C 105 J | 10.90 | 10.50 | A1 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 75.0 |
| 10C 110 J | 11.40 | 11.00 | A1 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 90.0 |
| 10C 120 J | 12.40 | 12.00 | A1 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 106.0 |
| 10C 130 J | 13.40 | 13.00 | A2 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 110.0 |
| 10C 140 J | 14.40 | 14.00 | A2 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 124.0 |
| 10C 150 J | 15.40 | 15.00 | A2 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 138.0 |
| 10C 160 J | 16.40 | 16.00 | A3 | J | 2 3/8 | 3 9/16 | 4 1/2 | 3 1/2 | 145.0 |
| 10C 180J | 18.40 | 18.00 | A3 | J | 2 3/8 | 3 9/16 | 6 3/4 | 3 1/2 | 168.0 |
| 10C 200 J | 20.40 | 20.00 | A3 | J | 2 3/8 | 3 9/16 | 6 3/4 | 3 1/2 | 182.0 |
| 10C 240 M | 24.40 | 24.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 3 1/8 | 272.0 |
| 10C 300 M | 30.40 | 30.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 3 1/8 | 355.0 |
| 10C 360 M | 36.40 | 36.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 3 1/8 | 455.0 |
| 10C 440 M | 44.40 | 44.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 3 1/8 | 544.0 |
| 10C 500 M | 50.40 | 50.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 3 1/8 | 622.0 |

Dimensions in inches, weight in pounds, weight less bush

| 12 Grooves F = 12 3/8" | | | | | | | | | |
|-------------------------------|-------|-------|------|------|-------|---------|-------|-------|--------|
| Part. Number | OD | PD | Type | Bush | E | K | L | M | Weight |
| 12C 90 F | 9.40 | 9.00 | A1 | F | 2 7/8 | 4 1/16 | 3 5/8 | 5 7/8 | 63.0 |
| 12C 95 J | 9.90 | 9.50 | A1 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 75.0 |
| 12C 100 J | 10.40 | 10.00 | A1 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 84.0 |
| 12C 105 J | 10.90 | 10.50 | A1 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 89.0 |
| 12C 110 J | 11.40 | 11.00 | A1 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 97.0 |
| 12C 120 J | 12.40 | 12.00 | A1 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 119.0 |
| 12C 130 J | 13.40 | 13.00 | A2 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 125.0 |
| 12C 140 J | 14.40 | 14.00 | A2 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 139.0 |
| 12C 150 J | 15.40 | 15.00 | A2 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 156.0 |
| 12C 160 J | 16.40 | 16.00 | A3 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 175.0 |
| 12C 180J | 18.40 | 18.00 | A3 | J | 2 7/8 | 4 1/16 | 4 1/2 | 5 | 185.0 |
| 12C 200 M | 20.40 | 20.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 228.0 |
| 12C 240 M | 24.40 | 24.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 287.0 |
| 12C 270 M | 27.40 | 27.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 350.0 |
| 12C 300 M | 30.40 | 30.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 430.0 |
| 12C 360 M | 36.40 | 36.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 565.0 |
| 12C 440 M | 44.40 | 44.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 595.0 |
| 12C 500 M | 50.40 | 50.00 | A3 | M | 1/2 | 1 15/16 | 6 3/4 | 5 1/8 | 607.0 |